


精品课程

精品课程




$48 \times 10^{-3} \mu \text{m}^2$

G236 521.0m

$\times 46$

18.4

精品课程




$376 \times 10^{-3} \mu \text{m}^2$

G236 513.0m

$\times 46$

19.2

精品课程




× 200
116 1228.5 1238.0m

28




精品课程



× 100

26 2385.5m

精品课程



× 100

9 1100.0m

精品课程



SEM, $\times 100$


11 16 2931.1

精品课程



× 200


精品课程



× 200


精品课程





精品课程


精品课程



× 80
13 312 1883.6




精品课程



× 200

3106 3908.3

精品课程



× 80

41 1952.4m


精品课程



84

× 500

精品课程



× 200
41 1931.9m

精品课程



a



精品课程



b




精品课程



C



精品课程




b c

$M=30\%$,

$\times 25 \quad \times 60$

5 1700.0m


精品课程



a




精品课程



b



精品课程



精品课程



—


× 25

1511.7

954

1511.5

精品课程



M_6


$\times 25$

2

14 1273.7m

—

精品课程



5504.3 5504.4
× 25

6.61
80

精品课程




9.28

$\times 25$

116 2278.0~2278.1

精品课程



$$9.12 \times 25 \quad K \quad 5.06 \times 10^{-3} \mu \text{ m}^2 \quad 46.67 \times 10^2 \text{ m}^3/\text{d}$$

7 4944.2

精品课程




$\times 25$

M_3

28 3251.2~3254.0


精品课程



$M = 8$

$\times 25$
76 5048.3

精品课程



“ ”

—————

$\times 60$

$M = 12$

4 4490.0


精品课程



× 25

14.0


精品课程



× 300

12 3656.7


精品课程



“ ” M 85 $\times 25$
LH11 1 1226.7



精品课程




× 25

24.6 $K = 1.34 \times 10^{-3} \mu \text{m}^2$


LH11 2 1 1239.1

精品课程



$$\begin{array}{ll} 4.93 \times 10^4 \text{m}^3/\text{d} & 4.55 \quad K \quad 2.66 \times 10 \\ 3 \mu \text{ m}^2 & \times 25 \\ & 7 \quad 3269.7 \end{array}$$

精品课程



M 5

$\times 25$
91 3136.4 3136.5